



Golden WestTM

Superior Since 1929



Product Catalog

I S S U E 1 • 2 0 2 4



A History of Excellence



From Filling Stations to Filling the Need for Great Products at Competitive Pricing

The GoldenWest Brand of products originated as a regional brand in Central and South Texas in 1929. Based in San Antonio, Texas, Golden West Oil Company operated a chain of “filling stations” that flew the GoldenWest flag with street signs displaying a brilliant sun with golden rays against a blue background.

The Ford Smith family of Austin, Texas, purchased the lubricant and parts business of Bantham Distributing in 1960. Then, in 1974, they merged with Golden West Oil Company, steadily developing the brand deeper into the Texas Market. GoldenWest has consistently been positioned as a competitively priced, quality product line.

In the 1970s, the GoldenWest Brand was expanded to include a complete line of lubricant products. As a firmly established regional brand, GoldenWest is well-accepted in automotive, industrial, and agricultural markets.

Today, our engine oils proudly display the API, ILSAC, and Dexos seals of approval. The line now includes synthetic oils, greases, DEF, coolants, and aerosol chemicals. These are all offered today as a high-quality alternative to major brand products.

TEXAS ENTERPRISES, INC.

WE'RE A FIFTH-GENERATION FAMILY-OWNED AND PROFESSIONALLY OPERATED COMPANY. BUT FAMILY DOESN'T JUST DESCRIBE US, IT DEFINES US.

Our customers. You're the reason we go the extra mile (and a whole lot further) each and every day.

We're proud of the superior quality we offer in our GoldenWest and Signature brand product lines. The lubricants and chemicals we offer are second to none in meeting and exceeding manufacturer specifications.

But Texas Enterprises is also more than GoldenWest. We provide the most comprehensive catalog of products in the business by partnering with the top brands and suppliers in the industry. Delivering exceptional customer service, day or night, rain or shine. Creating enduring relationships that ensure quality and consistency.

Because that's what you do for those who matter to you most.

You deliver for them. **Also see our complete Texas Enterprises catalog.**

FUELED BY FAMILY



See the Full TEI Product Line:
www.texasenterprises.com



We Care. You Matter. **We Deliver!**



Table of Contents

ANTIFREEZE/COOLANTS

Antifreeze & Summer Coolant	Page 7
Global Antifreeze and Summer Coolant	Page 8
ELC Global Antifreeze and Summer Coolant	Page 9

AUTOMATIC TRANSMISSION FLUID

DIII/M Automatic Transmission Fluid	Page 10
Multi-Vehicle Full Synthetic ATF	Page 11
Synthetic Trans-Fluid 50	Page 12

CHEMICALS

Brake Parts Cleaner	Page 13
Throttle Body Cleaner	Page 13
Heavy-Duty Glass Cleaner	Page 14
Windshield Washer Fluid	Page 14
Auto Carpet Shampoo	Page 15
Instant Shine Detailing Spray	Page 15
Penetrating Oil Spray	Page 16
Orange Clean Citrus Degreaser	Page 16

DIESEL EXHAUST FLUID

GoldenWest DEF	Page 17
----------------------	---------

ENGINE OILS

TechSYN Full Synthetic dexos1™ Gen 3	Page 18
TechSYN Full Synthetic 0W-16 ULV Motor Oil	Page 19
TechSYN Full Synthetic 5W-20 Motor Oil	Page 20
TechSYN Full Synthetic 5W-40 Motor Oil	Page 21
TechSYN Full Synthetic 5W-40 Diesel Oil	Page 22
SYN Blend Semi-Syn 15W-40 Diesel Oil	Page 23

ENGINE OILS

SYN Blend Semi-Synthetic Motor Oil	Page 24
High Mileage Premium GF-6A Motor Oils	Page 25
Series 3 Heavy Duty Motor Oil	Page 26
Premium Detergent Motor Oil	Page 27

GEAR OILS

Full Synthetic Gear Oil	Page 28
Gear Oil 80W 90LS	Page 29
Full Synthetic Gear Oil 85W-140	Page 30
EP Gear Oil	Page 31

GREASE

Hi-Temp Red Grease	Page 32
Multi-Purpose Lithium Grease #2	Page 33

HYDRAULIC OILS

Premium Universal Tractor Fluid	Page 34
Anti-Wear Hydraulic Oil	Page 35

POWER STEERING/BRAKE FLUID

Power Steering Fluid	Page 36
Heavy-duty Dot 3 Brake Fluid	Page 36

SOLVENT

Safety Solvent	Page 37
----------------------	---------

SPECIALTY OILS

Rock Drill Oil 100	Page 38
Superior Non-Detergent Lubricating Oil	Page 39
Turbine Oil	Page 39

Signature BY **GoldenWest**
LUBRICANTS Signature Since 1955

GoldenWest Limited Warranty

L I M I T E D W A R R A N T Y

GoldenWest warrants its products to be free from defects and will replace any product that is defective. For all applications, follow the recommended maintenance and fluid change schedules provided by the manufacturer(s). GoldenWest warrants that all products will perform to their specifications when used in accordance with the proper instructions for use. Products used in applications other than the intended use will not be covered by this warranty.

GoldenWest provides this limited warranty to purchasers who use GoldenWest products.

If there is equipment failure related to the GoldenWest product you purchased, GoldenWest will repair any equipment damage directly caused by a defect or a malfunction of a GoldenWest product, provided that the product was selected and maintained in accordance with specifications of the original equipment manufacturer or the written instructions (which includes product packaging) of GoldenWest.

To file a claim under this Limited Warranty, you must:

1. Upon discovery of the damage (but not later than 6 months from the date the damage occurred) call your local GoldenWest distributor from whom you purchased the product.
2. Allow a GoldenWest representative to examine the equipment and maintenance records and provide proof of purchase to determine the extent of the damage and to confirm that a GoldenWest product was the cause.
3. Allow a GoldenWest representative to obtain a sample of the product in question for analysis at no cost to you to assist in determining the cause of the equipment failure.

This Limited Warranty excludes:

- GoldenWest products used in mechanically deficient equipment as a result of abnormal operation, negligence, abuse, damage from casualty, shipment or accident, or equipment modification done without written authorization from the Original Equipment Manufacturer (OEM).
- Situations where the OEM required standards do not match those stated by GoldenWest without written approval from GoldenWest.
- GoldenWest products that have been used in conjunction with any other product or additive without written approval from GoldenWest.
- Failure of equipment due to a pre-existing condition that is unrelated to the use of GoldenWest products.
- Repair or replacement of equipment due to normal wear.

The remedy provided here will be your only recovery against GoldenWest Products. You will not be able to recover incidental or consequential damages. Some states do not allow the exclusion of or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may have other rights which vary from state to state.



ANTIFREEZE/COOLANTS

Antifreeze and Summer Coolant

Available as Concentrate and 50/50 Blend

Benefits

- Formulated for use in all American, Asian, and European automobiles
- Features a patented non-2-EH formula that is phosphate-free and silicate-free
- Amber color will not change the current antifreeze color when used for topping off a reservoir
- Meets ASTM D-3306 + ASTM D-4340

Product Application:

GoldenWest Antifreeze and Summer Coolant is a premium ethylene glycol antifreeze/coolant for use in year-round service in both aluminum and conventional metal engine cooling systems of automobiles, trucks, marine, and stationary equipment. Formulated with a unique "low silicate" type rust and corrosion inhibitor system, which effectively alleviates the problems of "gel" formation seen in many coolant systems using conventional coolants of the "high silicate" type and prevents loss of radiator heat transfer capacity.

Meets or exceeds specification requirements, including:

- ANFOR R 15-601
- BS 6580 (British Standard)
- Chrysler MS7170
- Chrysler MS9769
- Ford ESE-M97B44-A
- Ford WSS-M97B51-A1
- FV HEFT R443 (Germany)
- G.M. 6277M
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz DBL 7700



6/1 Gal



55/1 Drum

Packaging Options

Concentrate

Csg: AFZ 047077211113

Drum: AFZ 046071000013

50/50 Blend

Csg: AFZ 047077211120

Drum: AFZ 046071000020

ANTIFREEZE/COOLANTS

Global Antifreeze and Summer Coolant

Available as Concentrate and 50/50 Blend

Benefits

- Formulated for use in all American, Asian, and European automobiles
- Features a patented non-2-EH formula that is phosphate-free and silicate-free
- Amber color will not change the current antifreeze color when used for topping off a reservoir
- Meets ASTM D-3306 + ASTM D-4340

Product Application:

GoldenWest Global Antifreeze and Summer Coolant features a patented advanced organic acid technology. GoldenWest Global Antifreeze and Summer Coolant contains inhibitors that provide maximum protection from freezing to -84°F and boil-over to +276°F. Its patented formula protects all metals, including aluminum, against damaging rust and corrosion when used as recommended.

Meets or exceeds specification requirements, including:

- ANFOR R 15-601
- BS 6580 (British Standard)
- Chrysler MS7170
- Chrysler MS9769
- Ford ESE-M97B44-A
- Ford WSS-M97B51-A1
- FV HEFT R443 (Germany)
- G.M. 6277M
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz DBL 7700



6/1 Gal



55/1 Drum

Packaging Options

Concentrate

Csg: AFZ 046077555562

Drum: AFZ 046077555579

50/50 Blend

Csg: AFZ 046077687225

Drum: AFZ 046071000037

ANTIFREEZE/COOLANTS

ELC Antifreeze and Summer Coolant

Extended Life Coolant • Available as 50/50 Blend

Benefits

- Intended for use and compatible with ANY OAT Extended Life heavy duty antifreeze/coolant
- For use in ANY diesel powered commercial vehicle engine or stationary engine with aluminum and other engine metals
- Advanced formulation is based upon a concentrated blend of premium long-lasting inhibitors
- Meets ASTM D6210

Product Application:

GoldenWest Heavy Duty Nitrite Free Extended Life Antifreeze & Coolant (ELC) is an Organic Acid Technology (OAT) that is intended for use and compatible with ANY OAT Extended Life heavy duty antifreeze/coolant in ANY diesel powered commercial vehicle engine or stationary engine with aluminum and other engine metals. Its patented, technologically advanced formulation is based upon a concentrated blend of premium long-lasting inhibitors designed to provide up to 600,000 miles/12,000 hours* of protection against temperature extremes, rust, corrosion, scale, and premature water pump failure. GoldenWest Heavy Duty Nitrite Free Extended Life Antifreeze & Coolant (ELC) is available in Concentrate and Prediluted 50/50 formulas.

Meets or exceeds specification requirements, including:

- ASTM D6210
- D4985
- D7583
- D3306
- TMC RP329
- SAE J194



6/1 Gal



55/1 Drum

Packaging Options

50/50 Blend

Csg: AFZ 046077543321

Drum: AFZ 046077111222

*These values are representative of current production. They may vary within modest ranges.

AUTOMATIC TRANSMISSION FLUID

DIII/M Automatic Transmission Fluid

Former Dexron III/Mercon H specification

Benefits

- Excellent low temp. fluidity for good cold-start shifting
- Resists foaming
- Oxidation and thermal stability for long life
- Protection against rust, corrosion, and wear
- Multiple approvals for lower inventory requirements
- Compatible with all transmission seal material

Product Application:

GoldenWest DIII/M Automatic Transmission Fluid is compounded with modern additive technology for use in older Ford and General Motors vehicles, plus many foreign vehicles requiring DEXRON®-III or Mercon®. Recommended for use in all 2005 and earlier GM automatic transmissions. Recommended for 1981 and later Fords (except those requiring Type F, MERCON® V, MERCON® SP, MERCON® LV or MERCON® ULV).

Not for use where DEXRON®-VI, DEXRON®-HP, Type F, MERCON® V, MERCON® SP, MERCON® LV, or MERCON® ULV is required. Not for use in Continuously Variable Transmissions (CVT) or Dual Clutch Transmissions (DCT).

Meets or exceeds specification requirements, including:

- Detroit Diesel Allison C-3
- Detroit Diesel Allison C-4
- Caterpillar TO-2
- Ford late model C-4
- Ford late model C-5
- Ford ESP-M2C138-CJ
- Ford ESP-M2C166-H



12/1 Quarts



5/1 Pail



120 lb Keg



55/1 Drum



BULK

Packaging Options

DIII/M ATF

12/1 Qts: GOL 046077687355

Pail: GOL 046077687362

Keg: GOL 046077311144

Drum: GOL 046077310857

Bulk: BUL 046077410145

AUTOMATIC TRANSMISSION FLUID

Multi-Vehicle Full Synthetic ATF

For automatic transmissions requiring Mercon®/Mercon® V/Dexron®-III/ATF+3/TF+4

Benefits

- Improved oxidation and thermal stability
- Full synthetic formula
- Outstanding low-temperature performance
- Superior anti-wear protection
- Improved torque transfer
- Applications include nearly all car and light truck applications

Product Application:

Signature Lubricants Full Synthetic Multi-Vehicle ATF represents the latest technology in full synthetic automatic transmission fluids. It is specifically formulated for the newest generation of high-efficiency transmissions and is also a fuel-efficient choice for older models.

Signature Lubricants Full Synthetic Multi-Vehicle ATF is recommended for a wide range of passenger cars and light-duty trucks, including GM, Ford, Toyota, Honda/Acura, Nissan/Infiniti, Hyundai/Kia/Mitsubishi, Mazda, Subaru, and Volkswagen. Check the owner's manual for specific recommendations.

For automatic transmissions requiring:

- JASO M315-2013 1A-LV GM
- Ford
- Chrysler
- Toyota/Lexus/Scion (T-III, IV, WS)
- Honda/Acura (ATF Z-1, DW-1)
- Nissan/Infiniti (Matic D, J, K, S, W)
- Hyundai/KIA (SP-II, III, IV, Red-1K)
- Isuzu (SCS, ATF II, III)
- Mazda (F-1, FZ, M-III, T-IV, MV)
- Mitsubishi (Diamond SP, II, III, ATF J2, J3)
- Subaru (HP)
- BMW (LA2634, LT71141)
- Mercedes-Benz (236.10, 236.15, 236.3, 236.5, 236.7, 236.9)
- Volkswagen/Audi (09A, 09G)



Packaging Options

Multi-Vehicle Full Synthetic ATF

6/1 Qts: GOL 046077311717

Pail: GOL 049077311731

Box: GOL 033322000311

Keg: GOL 046077311724

Drum: BUL 046077311700

Bulk: BUL 046077311694



This product is NOT recommended for Ford Type F, Continuously Variable Transmissions (CVT), or Dual Clutch Transmissions (DCT) which require specialized OEM fluids.

Scan this QR code to download the Signature Lubricants TechSYN Full Synthetic Multi-Vehicle ATF Application Guide.



AUTOMATIC TRANSMISSION FLUID

Synthetic Trans-Fluid 50

Full Synthetic Multi-Vehicle

Product Application:

GoldenWest Synthetic Trans-Fluid 50 was developed specifically for long-life use in heavy-duty manual transmissions which specify a premium quality non-E.P. oil. GoldenWest Synthetic Trans-Fluid 50 matches the requirements set by Eaton and Rockwell for 250,000-mile extended drain intervals. Meets TO-4 application.

Experience the pinnacle of heavy-duty truck manual transmission fluids with GoldenWest Synthetic Trans Fluid 50. Meticulously formulated to deliver unparalleled gear protection and all-weather performance, this fluid stands as a testament to cutting-edge engineering.

GoldenWest Synthetic Trans Fluid 50 redefines gear wear defense. Its advanced formula forms a robust barrier against high-stress operations, ensuring seamless engagement and responsiveness even during demanding tasks. Unaffected by temperature extremes, this fluid guarantees consistent, smooth shifts year-round, regardless of weather conditions.

Braving icy temperatures becomes effortless with GoldenWest Synthetic Trans Fluid 50. Its exceptional flow characteristics in cold environments enable seamless gear changes, minimizing wear and tear on transmission components. Furthermore, this fluid's proven extended drain capabilities mean less frequent fluid changes, reducing maintenance costs and environmental impact.

GoldenWest Synthetic Trans Fluid 50 empowers heavy-duty trucks with unprecedented performance. Its exceptional gear protection, all-weather reliability, effortless cold-weather shifting, and extended drain intervals make it the ultimate choice for those seeking unmatched transmission longevity, efficiency, and dependability.



5/1 Pail



120 lb Keg



55/1 Drum



BULK

Packaging Options

Synthetic Trans-Fluid 50

Pail: GOL 046077687416

Keg: GOL 046077687423

Drum: GOL 046077687409

Bulk: GOL 046077310413

CHEMICALS

Brake Parts Cleaner

Non-Chlorinated & Highly Concentrated

Product Application:

This highly concentrated Signature Chemicals solvent blend provides maximum performance in a brake parts cleaner without the use of ozone depleting chlorinated solvents. Powerful blasting spray easily removes brake fluid, grease, oily dirt and contaminants from linings, pads and drums, cylinders and springs without disassembling the brake unit.



Aerosol Cans

GOL 046077300001



Throttle Body Cleaner

Professional Strength

Product Application:

These Signature Chemicals concentrated solvents are specially formulated to remove dirt, gum and varnish deposits that tend to build up on the moving and sealing surfaces of engine carburetors, heat valves and automatic chokes, throttle bodies, PCV valves and linkages. Helps to free sticky valves, stuck heat risers and throttle linkages. No lead or silicone. Will not harm oxygen sensors, catalytic converters or fuel injectors. Periodic use on cars, trucks, airplanes, boats, lawnmowers, etc., will keep engines clean, fuel efficient and trouble free. This cleaner can even be used on running engines. This product is formulated for high performance without the use of ozone depleting chlorinated solvents.



Aerosol Cans

GOL 850011903063



CHEMICALS

Heavy-Duty Glass Cleaner

For Car, Home, or Office

Product Application:

This easy to use, professional strength, Signature Chemicals Glass Cleaner uses foaming action to surround and dissolve dirt, road film, grime, tree sap, bugs, nicotine film and more. Use this product to make glass, plastic, mirrors and chrome sparkle and shine. Anti-haze and anti-streak additives provide maximum clarity. Foam spray clings to surfaces to eliminate running and to allow maximum spray coverage. Safe to use on tinted windows.



Aerosol Cans

GOL 046079000022



Windshield Washer Fluid

Year-Round Visibility Down to 0° F

Product Application:

Experience uncompromising visibility in all seasons with Signature Chemicals Windshield Washer Fluid. Engineered to provide crystal-clear clarity year-round, even in the coldest temperatures down to 0°F, this advanced formula ensures that your windshield remains free from grime, ice, and road contaminants. Eliminate obscured vision problems and enjoy safer travels by navigating through any weather Mother Nature throws your way. Trust GoldenWest Signature Chemicals Windshield Washer Fluid for a frost-free, unobstructed view that keeps you in control no matter the conditions.



6/1 Gal



55/1 Drum

Packaging Options

All Season Advanced

6 Gal: GOL 046077311441

Drum: GOL 04607714312



CHEMICALS

Auto Carpet Shampoo

Cleans & Deodorizes Upholstery and Fabric

Product Application:

Signature Chemicals Auto Carpet Shampoo quickly removes stains such as grease, oil, tar, grime, gunk, crayon, shoe polish, lipstick, fresh paint, carbon paper, butter and makeup from carpet, fabrics, etc. Excellent for pet stains and odor control. This product is ideal for automobiles, boats, RVs, vans, trucks, buses and planes, or other motor vehicles. Water based and contains no ozone depleting ingredients.



Aerosol Cans

GOL 850011903049



Instant Shine Detailing Spray

Easy to Use — Just Spray On

Product Application:

Signature Chemicals Instant Shine is a great final detail product. Just spray on and buff or let dry to a like-new shine. Tires, vinyl interiors, bumpers, bumper guards, body moldings, door jambs, engine compartments — even hard to reach air conditioner ducts.



Aerosol Cans

GOL 850011903025



CHEMICALS

Penetrating Oil Spray

Frees Rust-Contaminated Nuts & Bolts

Product Application:

Signature Chemicals Penetrating Oil Spray breaks the bonds of the toughest stuck bolts. Works fast to free rusted bolts and other stuck parts. The active seeping action penetrates into the tightest crevices, threads, and seams to break the bonds of rust that hold stuck parts in place. Helps prevent rust and corrosion from reforming, leaving behind a lubricating layer.

Signature Chemicals Penetrating Oil Spray is excellent for use on stuck nuts, bolts, pipe threads, locks, chains and other kinds of rusted metal parts that are stuck and will not move. Safe to use on plastics, rubber and metal.



Aerosol Cans

GOL 850011903056



Orange Clean Citrus Degreaser

Non-Acid and Non-Corrosive Cleaner

Product Application:

Signature Chemicals Orange Clean is an excellent non-acid and non-corrosive cleaner designed to eliminate grease build-up while controlling slime and odor. Below are a few of the many applications for which Signature Chemicals Orange Clean will deliver excellent results:

Removing Decals • Cleaning Ovens and Grills • Pre-spotting Laundry • Removing Lipstick and Makeup from Clothing • Removing Stains and Spots for Carpet and Upholstery • Cleaning and Degreasing Hard Surfaces.



Aerosol Cans

GOL 850011903032



DIESEL EXHAUST FLUID

GoldenWest DEF

GoldenWest Offers a Full Range of DEF Storage and Delivery Solutions



Product Application:

GoldenWest DEF is an aqueous urea solution made with urea and deionized water used to reduce the amount of air pollution created by a diesel engine. DEF is consumed in a selective catalytic reduction (SCR) that lowers the concentration of nitrogen oxides (NOx) in the diesel exhaust emissions from a diesel engine.

The convenient 2.5 gallon box features an included pouring nozzle and easy-to-carry handle. Now available by the pallet, the 2.5 gallon jug allows for easy storage.



2.5 Gal Jugs



55/1 Drum



275 Gal Tote



BULK

Packaging Options

Diesel Exhaust Fluid

2.5 Gal Jug: DEF G0L002

Drum: DEF DEF055

275 Gal Tote: DEF DEF275

Bulk: BULDEF000-01

ENGINE OILS

TechSYN Full Synthetic dexos1™ Gen 3 GF-6A Motor Oils 0W-20 • 5W-30

API SP/SN/SM/SL/SJ • ILSAC GF-6A

Benefits

- Provides protection conventional oils can't
- Superior protection against normal engine wear
- Outstanding low and high-temperature performance
- Our highest level of protection for thermal and oxidation stability
- Formulated for extreme driving conditions
- Outperforms conventional and synthetic blends
- ILSAC GF-6A Resource Conserving



Product Application:

Signature Lubricants TechSYN dexos1™ Gen 2 Motor Oil is a fully synthetic, top-tier, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of today's and tomorrow's engines. It meets API SP, which is required for 2012 and later engines. Synthetic base oils combine with carefully selected additive packages to provide maximum protection against wear, rust, corrosion, oxidative thickening, acid formation, sludge, and varnish. This formulation helps improve fuel economy and performance in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85.

Signature Lubricants TechSYN Full Synthetic dexos1™ Gen 2 Motor Oil is a licensed GM dexos1™ Gen 2 product. Meets or exceeds API Service Category SP, SN Plus, SN, SM, and ILSAC GF-6A requirements. Meets Toyota and Mazda specifications, and Honda service fill specifications.

Meets or exceeds specification requirements, including:

- GM dexos1™ Gen 2
- GM 6094M
- Toyota
- Mazda
- Honda (Service fill)
- Ford WSS-M2C962-A1 (0W-20)
- Ford WSS-M2C961-A1 (5W-30)
- Chrysler MS-6395



6/1 Quarts



6 Gal Box



55/1 Drum



BULK

Packaging Options

0W-20

6 Qts: GOL 033322000601
Box: GOL 033322000397
Drum: GOL 046077311526
Bulk: BUL 033322000398

5W-30

6 Qts: GOL 033322000626
Box: GOL 850011903155
Drum: GOL 046077311540
Bulk: BUL 046077311533

ENGINE OILS

TechSYN Full Synthetic 0W-16 ULV Motor Oil

API SP/SN Plus/SN • ILSAC GF-6B

Benefits

- Provides protection conventional oils can't
- Won't break down under extreme temperatures
- Superior protection against normal engine wear

Product Application:

Signature Lubricants TechSYN 0W-16 is a premium, ultra-low viscosity motor oil. This high-performance formulation helps improve fuel economy in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85. SAE 0W-16 viscosity only belongs in engines designed to use 0W-16 motor oil. Meets the performance requirements of Toyota and Honda. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- Toyota
- Honda



6/1 Quarts



6 Gal Box

Packaging Options

0W-16

6 Qts: GOL 133322000172

Box: GOL 033322000168

ENGINE OILS

TechSYN Full Synthetic 5W-20 Motor Oil

API SP/SN Plus/SN • ILSAC GF-6

Benefits

- Our highest level of protection for thermal and oxidation stability
- Formulated for extreme driving conditions
- Outperforms conventional and synthetic blends
- Outstanding low and high-temperature performance
- ILSAC GF-6 Resource Conserving

Product Application:

Signature Lubricants TechSYN 5W-20 Full Synthetic Motor Oil is top tier, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of today's and tomorrow's engines. It meets API SN which is required for 2012 and later engines. Synthetic base oils combine with carefully selected additive packages to provide maximum protection against wear, rust, corrosion, oxidative thickening, acid formation, sludge and varnish.

Signature Lubricants TechSYN 5W-20 Full Synthetic Motor Oil meets or exceeds the requirements of GM 6094M, Ford WSS-M2C945-A, and Chrysler MS-6395. Meets Toyota Specifications, and Honda Service Fill Specifications.

Meets or exceeds API Service Category SN, SM, SL, SJ and ILSAC GF-5 requirements.



6/1 Quarts



6 Gal Box



BULK

Packaging Options

OW-16

6 Qts: GOL 133322000172

Box: GOL 033322000168

Bulk: BUL 046077310147

ENGINE OILS

TechSYN Full Synthetic 5W-40 Motor Oil Advanced European Car Formula

API SN • ACEA A3/B4

Benefits

- Keeps engines cleaner
- Provides protection conventional oils can't
- Meets extended drain requirements of premium European vehicles
- Won't break down under extreme temperatures
- Superior protection against normal engine wear
- Outperforms conventional motor oil in high-temperature service
- Provides outstanding thermal and oxidation stability

Product Application:

Signature Lubricants TechSYN SAE 5W-40 Full Synthetic Motor Oil is an ultra-premium quality, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of advanced European gasoline-powered cars and light trucks. Meets or exceeds the requirements of API SN and ACEA A3/B4.

Signature Lubricants TechSYN SAE 5W-40 full-synthetic motor oil meets or exceeds performance requirements, including:

- ACEA A3/B3
- ACEA A3/B4
- BMW LL-01
- Mercedes-Benz 226.5
- Mercedes-Benz 229.3
- Mercedes-Benz 229.5
- Porsche A40
- PSA B71 2296
- Renault 0710
- Renault 0700
- Opel GM-LL-B-025
- Volkswagen VW502 00



6 Gal Box

Packaging Options

5W-40

Box: GOL 033322000410

ENGINE OILS

TechSYN Full Synthetic 5W-40 Diesel Engine Oil

API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4/SN • ACEA E9/E7

Benefits


- Outstanding low-temperature properties help speed cold starts
- Protects emission control systems
- Outstanding oxidation stability

Product Application:

Signature Lubricants TechSYN 5W-40 full synthetic is a premium diesel engine oil designed for the most demanding applications. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- Caterpillar ECF-3
- Caterpillar ECF-2
- Cummins CES 20086
- Cummins CES 20081
- Daimler MB 228.31
- Detroit™ DFS 93K222
- Detroit™ DFS 93K218
- Ford WSS-M2C171-F1
- Mack EOS-4.5
- EO-N , EO-O Premium Plus
- MAN M3575
- MTU Category 2.1
- Renault RLD-4, RLD-3
- Volvo VDS-4.5, VDS-4, VDS-3



6 Gal Box



55/1 Drum

Packaging Options

5W-40

Box: GOL 033322000465

Drum: GOL 850011903162

BULK

ENGINE OILS

SYN Blend Semi-Synthetic Motor Oil 5W-20 • 5W-30 • 10W-30

API SP/SN Plus/SN/SM • ILSAC GF-6A

Benefits

- Provides enhanced piston cleanliness
- Provides increased emission protection
- Superior protection against normal engine wear

Product Application:

Signature Lubricants SYN Blend Semi-Synthetic is a premium, high-detergent motor oil. This formulation helps improve fuel economy and performance in gasoline engines — includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- GM 6094M
- Ford WSS-M2C960-A1 (5W20)
- Ford WSS-M2C961-A1 (5W30)
- FCA/Chrysler MS-6395
- Toyota
- Mazda
- Honda (Service fill)



Packaging Options

5W-20

6/1 Qts: GOL 033322882023
Box: GOL 033322000380
Drum: GOL 046077310512
Bulk: BUL 046077310161

5W-30

6/1 Qts: GOL 033322882030
12/1 Qts: GOL 046077888875
Box: GOL 033322000373
Drum: GOL 046077310529
Bulk: BUL 046077310178

10W-30

12/1 Qts: GOL 046077555609
Pail: GOL 033322000366
Drum: GOL 046077310536
Bulk: BUL 046077410090



6/1 Quarts



12/1 Quarts



6 Gal Box



55/1 Drum



BULK

ENGINE OILS

High Mileage Premium GF-6A Motor Oils 5W-20 • 5W-30

API SP/SN Plus/SN/SM • ILSAC GF-6A

Benefits

- Provides enhanced piston protection
- Provides increased emission protection
- Superior protection against normal engine wear
- ILSAC GF-6A Resource Conserving

Product Application:

Signature Lubricants High Mileage Premium GF-6A is a premium, high-detergent motor oil. This formulation helps improve fuel economy and performance in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- GM 6094M
- Ford WSS-M2C960-A1 (5W20)
- Ford WSS-M2C961-A1 (5W30)
- FCA/Chrysler MS-6395
- Toyota
- Mazda
- Honda (Service fill)



Packaging Options

5W-20

Box: GOL 033322000359

Drum: GOL 046077311367

5W-30

Drum: GOL 033322000342

Bulk: GOL 046077311366



6 Gal Box



55/1 Drum

ENGINE OILS

Series 3 Heavy Duty Motor Oil

30 WT • 40 WT

Product Application:

GoldenWest Series 3 Heavy Duty Motor Oils are blended from the finest base stocks with the latest additive package to provide a high-performance engine oil for diesel and gasoline engines. API application varies by grade. These engine oils are premium quality for all-season use.



5/1 Pail



55/1 Drum



BULK

Packaging Options

30 WT

Pail: GOL 046077555456

Drum: GOL 046077310949

Bulk: BUL 046077310352

40 WT

Pail: GOL 046076000070

Drum: GOL 046077310957

Bulk: BUL 046077310369

ENGINE OILS

Premium Detergent Motor Oil

Premium • 30 WT

Product Application:

GoldenWest Premium Detergent Motor Oil is an excellent single grade motor oil formulated to provide engine protection under severe operating conditions in gasoline engines. Made from selected and highly refined base oils compounded to provide protection against wear and corrosion. Helps prevent oxidative thickening and inhibits promotion of engine acids, sludge, and varnish deposits. It also helps prevent pre-ignition wear and provides cleanliness and fuel economy.



6/1 Quarts

Packaging Options

30 WT

6/1 Qts: GOL 033322882016



GEAR OILS

Full Synthetic Gear Oil

SAE 75W-90 and SAE 75W-140 • API GL-5/MT-1

Product Application:

GoldenWest Full Synthetic Gear Oil is a 100% synthetic, multi-grade, heavy-duty gear lubricant designed to meet the service demands of a commercial fleet's manual transmissions, axles, and drive units, plus the added advantage of improved fuel economy, extended drain capabilities, and all-season use even at sub-zero temperatures. GoldenWest Gear Oils are fortified with additives to prevent rust and corrosion and meet limited-slip specifications. Regardless of the LS specification, check to be sure of the manufacturer's limited-slip requirements for OE additives.

May be used in applications calling for:

- API GL-5
- API MT-1
- SAE J2360
- Mack GO-J Plus (75W-90)
- Mack GO-J (75W-140)

Also suitable for use where the following specifications are recommended:

- Eaton PS-163
- Eaton PS-037
- Eaton PS-109
- General Electric D50E9C
- Harnischfeger (P&H) 474
- Mack Truck GO-J Plus
- Mack Truck GO-J
- Meritor Automotive, Inc. (formerly Rockwell International) O-76-E (petrol)
- Meritor Automotive, Inc. O-76-N (syn)
- MIL-PRF-2105E
- Navistar TMS 6816
- U.S. Steel Specifications 224
- AGMA Standard 250.03



Packaging Options

75W-90



12/1 Quarts

12/1 Qts: GOL 046077687249



35 lb Pail

35 lb Pail: GOL 046077687256



120 lb Keg

120 Keg: GOL 046077687263



400 lb Drum

Drum: GOL 046077687270

75W-140

12/1 Qts: GOL 046077687287

35 Keg: GOL 046077689294

120 Keg: GOL 046077687300

Drum: GOL 046077687317

GEAR OILS

Gear Oil 80W 90LS

Extreme Pressure Gear Lubricant

Product Application:

GoldenWest Gear Oil 80W 90LS is a multi-purpose, heavy-duty, extreme pressure gear lubricant recommended for enclosed gear cases. Gear Oil 80W 90LS can be applied in a full refill or top-off of Limited Slip Differentials. Please note that there could be instances when axle chatter may be present. If this occurs, it is recommended to add at least 4oz. of aftermarket slip additive. Regardless of the LS specification, check to be sure of the manufacturer's limited-slip requirements for OE additives.



12/1 Quarts



35 lb Pail



120 lb Keg



400 lb Drum

Packaging Options

80W 90LS

12/1 Qts: GOL 046077666701

35 lb Pail: GOL 046076000216

Keg: GOL 046077311182

Drum: GOL 046077310826



GEAR OILS

Full Synthetic Gear Oil 85W-140

API GL-5 — Precision Engineering to Withstand Extreme Pressures

Product Application:

GoldenWest Gear Oils are formulated from the finest base oils and premium additive packages. All feature extreme pressure properties, resist wear, and have excellent oxidation stability. This gear oil is in compliance with all manufacturers' specifications and is recommended for severe service. Regardless of the LS specification, check to be sure of the manufacturer's limited-slip requirements for OE additives.

GoldenWest Full Synthetic Gear Oils — precision engineering that transforms the landscape of gear lubrication. Meticulously crafted from the highest-grade base oils and fortified with premium additive packages, these gear oils transcend expectations. Designed to withstand extreme pressures, they are the steadfast guardians against wear and corrosion, ensuring that your machinery's vital components operate seamlessly, even in the harshest environments. With an emphasis on oxidation stability, these gear oils maintain their performance integrity over time, extending gear life and minimizing maintenance costs.

GoldenWest Full Synthetic Gear Oils adhere to the most stringent manufacturer specifications, making them the preferred choice for severe service applications. These gear oils are a testament to GoldenWest's commitment to precision, reliability, and performance, seamlessly meeting the diverse needs of modern heavy machinery. While these gear oils are engineered to excel across various applications, it's essential to verify manufacturer-specific limited-slip requirements for original equipment additives, ensuring compatibility and optimal performance. Choose GoldenWest Full Synthetic Gear Oils — meeting or exceeding the demands of your machinery with unparalleled performance.



12/1 Quarts



35 lb Pail



120 lb Keg



400 lb Drum

Packaging Options

85W-140

12/1 Qts: GOL 046077999922
35 lb Pail: GOL 046077555265
Keg: GOL 046077311199
Drum: GOL 046077310833

GEAR OILS

EP Gear Oil

GL-4 90W and GL-5 90W — Uncompromising Performance

Product Application:

Unlock the full potential of your heavy-duty machinery with GoldenWest EP Gear Oil 90W. Crafted to meet the demands of the most rugged environments, this gear oil is a testament to superior engineering and uncompromising performance. Its robust formulation offers exceptional extreme pressure protection, safeguarding gears and components from wear, pitting, and stress, even under the most demanding conditions.

GoldenWest EP Gear Oil 90W's high viscosity ensures optimal lubrication, maintaining smooth and efficient gear operation while reducing friction and heat buildup. With GoldenWest's trusted quality, you can expect extended gear life, reduced maintenance costs, and uninterrupted productivity.

Designed to excel in both manual transmissions and differentials, GoldenWest EP Gear Oil 90W stands as a testament to its commitment to reliability and performance. When you choose GoldenWest, you're choosing a partner that empowers your machinery to conquer challenges and deliver exceptional results, ensuring that your equipment keeps moving forward, no matter the obstacle.



35 lb Pail



400 lb Drum

Packaging Options

GL-4 90W

35 lb Pail: GOL 046077555340

Drum: GOL 046077310840

Packaging Options

GL-5 90W

35 lb Pail: GOL 046077555333

Drum: GOL 046077310796

GREASE

Hi-Temp Red Grease

Extreme Pressure Multi-purpose Grease

Product Application:

GoldenWest Hi-Temp Red Grease is a NLGI 2 grade premium quality extreme pressure lithium complex multi-purpose grease. This product has outstanding high temperature characteristics. Dropping point of this product exceeds 500°F.

Recommended for fleets and heavy-duty applications, including wheel bearings (disc and drum brakes). - NLGI Service classification-GC-LB.



14 oz Tube



35 lb Pail



120 lb Keg



400 lb Drum

Packaging Options

Hi-Temp Red Grease

Tubes: GOL 076569000027

35 lb Pail: GOL 046077311137

Keg: GOL 046077311229

Drum: GOL 046077311236



GREASE

Multi-Purpose Lithium Grease #2

With Rust and Oxidation Inhibitors

Product Application:

GoldenWest Multi-Purpose Lithium Grease #2 is an amber colored, NLGI 2 grade lithium stearate based grease with rust and oxidation inhibitors. It has good stability, water resistance and softening resistance at high operating temperatures.

GoldenWest Multi-Purpose Lithium Grease is recommended for general automotive chassis lubrication points, ball joints and universal joints, as well as general farm and light industrial lubrication applications. It is compatible with other lithium grease, but is not recommended for disc type wheel bearings.



14 oz Tube



35 lb Pail



120 lb Keg

Packaging Options

Multi-Purpose Lithium Grease #2

Tubes: GOL 076568036676

35 lb Pail: GOL 046077311120

Keg: GOL 046077311212

HYDRAULIC OILS

Premium Universal Tractor Fluid

Multi-functional Use in Farm Tractors and Equipment

Benefits

- Lowers operating costs
- Reduces brake chatter and transmission slips
- Minimizes weather and storage concerns
- Extends equipment life

Product Application:

GoldenWest Premium Universal Tractor Fluid is a high quality, multi-functional tractor hydraulic fluid, specially formulated for use in transmissions, final drives, wet brakes, and hydraulic systems of tractors and other equipment employing a common fluid reservoir.

It is formulated with highly refined base stocks, a viscosity index improver, oxidation and corrosion inhibitors, anti-wear and film strength additives, an anti-foaming agent, and a pour point depressant.

GoldenWest Premium Universal Tractor Fluid is recommended for use as a multi-functional fluid in many types of farm tractors and equipment; in non-hypoid GL-4 applications; in applications which call for the following OEM lubricant specifications:

- AGCO: improved power fluid 821XL
- Case Corporation: JIC-143, JIC-145, MS 1206, MS 1207, MS 1209, MS 1210 (TCH)
- Case New Holland: MAT 3525, MAT 3505
- Caterpillar: TO-2
- Ford New Holland: ESN-M2C134-D, FNHA 2, C 201
- International Harvester: B6
- John Deere: J20C
- Kubota: UDT
- Massey Ferguson: M1135, M1141, M1143, M1145
- Minneapolis-Moline: Q-1766, Q-1722, Q-1766B
- Oliver: Q-1705
- Renk Doromat: 874A and 874B
- Volvo: WB 101
- White Farm Equipment: Q-1826
- ZF: TE-ML 03E, TE-ML 05F, TE-ML 17E, TE-ML 21F



3/2 Gal Jugs



5/1 Pail



55/1 Drum

Packaging Options

Premium Universal Tractor Fluid

3/2 Gal: GOL 046077666831

Pail: GOL 046077687478

Drum: BUL 046077310550

HYDRAULIC OILS

Anti-Wear Hydraulic Oil

ISO Grades 32, 46, & 68

Product Application:

GoldenWest Anti-Wear Hydraulic oils are blended of High VI solvent neutral base stocks. These stocks provide excellent extreme temperature protection. Additive packages contain, anti-wear, anti-foam, rust inhibitors and anti-oxidation agents. Additionally this Lubrizol additive package contains seals-well ingredients to keep seals tight.



Packaging Options

ISO 32

Pail: GOL 046077555159

Drum: GOL 046077310673

Bulk: BUL 046077410168

ISO 46

Pail: GOL 046076000278

Drum: GOL 046077310628

Bulk: BUL 046077410175

ISO 68

Pail: GOL 046076000285

Drum: GOL 046077310635

Bulk: BUL 046077410182



5/1 Pail



55/1 Drum



BULK



POWER STEERING/BRAKE FLUID

Power Steering Fluid

For Drum and Disc Brake Systems

Product Application:

GoldenWest Power Steering Fluid is blended with high quality base oils and a balanced additive package to maintain efficiency and performance in power steering systems. It helps prevent leakage, squealing, corrosion, oxidation and wear.

GoldenWest Power Steering Fluid will not clog or foam and can be used year round.



12/12oz



6/1 Quarts



12/32oz

Packaging Options

Power Steering Fluid

12 oz: GOL 033322882047

Quarts: GOL 039881100172

32 oz: BUL 039881101179



Heavy-duty Dot 3 Brake Fluid

For Drum and Disc Brake Systems

Product Application:

GoldenWest Heavy-duty Brake Fluid is a fully approved DOT 3 type motor vehicle brake fluid suitable for use in all vehicles where DOT 3 fluids are recommended. Suitable for use on both disc and drum brake systems and fully compatible with all DOT 3 fluids.

Meets or exceeds the requirements of DOT 3 Motor Vehicle Standard No. 116 and SAE J1704 and ISO 4925.



12/12oz



6/1 Quarts



6 Gal Box

Packaging Options

Brake Fluid

12 oz: GOL 039881100103

Quarts: GOL 850011903117

Box: BUL 046077666800



SOLVENT

Safety Solvent

For Cleaning Surfaces Contaminated with Petroleum

Product Application:

GoldenWest Safety Solvent is the ultimate solution for effectively cleaning surfaces tainted by petroleum-based substances. Specifically formulated to combat the challenges posed by petroleum contaminants, this versatile product becomes your steadfast ally in maintaining pristine work environments. Boasting an impressive high flash point of 142°F, this solvent ensures safe and efficient cleaning without the worry of flammability, offering peace of mind as you tackle even the toughest cleaning tasks.

When using GoldenWest Safety Solvent, prioritize safety by equipping yourself with appropriate protective gear. It is recommended to wear safety goggles to shield your eyes from potential splashes or aerosolized particles. Additionally, wear protective gloves to safeguard your skin from direct contact with the solvent. This commitment to safety not only promotes your well-being but also allows you to confidently utilize the solvent's superior cleaning properties without compromising your health.

Beyond its role in surface cleaning, GoldenWest Safety Solvent offers versatility and value across various applications by doubling as an exceptional part washer fluid. With GoldenWest's unwavering dedication to quality and safety, you can trust GoldenWest Safety Solvent to efficiently and reliably rid surfaces of petroleum contaminants, ensuring a cleaner, safer, and more productive workspace.



5/1 Pail



50 Gal



BULK

Packaging Options

Solvent

Pail: GOL 046074000010

Quarts: GOL 046077310734

Box: BUL 046077310406

SPECIALTY OILS

Rock Drill Oil 100

Premium Blend of High-Quality Base Oils

GoldenWest Rock Drill Oil is your ultimate solution for optimal performance and protection in the world of air-powered tools. Meticulously crafted as an adhesive, extreme-pressure (EP) lubricant, this cutting-edge formula redefines how you lubricate and safeguard tools like rock drills, jackhammers, pavement breakers, and drifters. It's also the recommended choice for mining and industrial equipment navigating wet environments. With its environmentally conscious ashless, chlorine-free additive package, you can ensure top-tier performance while minimizing your ecological footprint.

GoldenWest Rock Drill Oil stands out with its premium blend of high-quality paraffinic base oils, coupled with a non-chlorinated additive package. This potent combination ensures paramount protection for pneumatic percussion tools, delivering unmatched safeguarding against wear and seizure during heavy-duty or shock-load operations. Its ability to maintain a lubricant film in moisture-laden surroundings, alongside its corrosion protection properties, exemplify its adaptability to demanding conditions. Plus, its exceptional oxidation resistance and thermal stability at high temperatures translate to extended service life – a testament to its unrivaled reliability.

Applications for GoldenWest Rock Drill Oil are vast and varied, encompassing pneumatic percussion tools like jackhammers and rock drills, mining equipment such as demolition hammers and drifters, and enclosed industrial gearboxes where leakage presents a challenge. It's not just lubrication; it's an investment in performance, longevity, and environmental responsibility. Make GoldenWest Rock Drill Oil your partner in conquering tough jobs, with tools and equipment that stand the test of time.



5/1 Pail



55 Gal



BULK

Packaging Options

Rock Drill Oil 100

Pail: GOL 04607755234

Drum: GOL 046077310758

Bulk: BUL 046077310376

SPECIALTY OILS

Superior Non-Detergent Lubricating Oil

10WT, 30WT, 40WT, 50WT

GoldenWest Superior Non-Detergent Lubricating Oil is a straight mineral oil with no additives for compressors and hydraulic systems requiring non-detergent oils. With a focus on simplicity and reliability, this oil provides effective protection and lubrication for machinery and equipment, ensuring smooth operation and minimized wear. Not for use in automotive gasoline engines.



Packaging Options



5/1 Pail



50 Gal

10 WT

Pail: GOL 04607755524

Drum: GOL 046077310888

30 WT

Pail: GOL 046076000018

Drum: GOL 046077310901

40 WT

Pail: GOL 046077555494

Drum: GOL 046077310918

50 WT

Pail: GOL 046077555487

Drum: GOL 046077310925

Turbine Oil

Superior Performance

GoldenWest Turbine Oil — crafted with precision, this advanced oil ensures smooth operation and longevity, providing superior protection against wear, oxidation, and corrosion. Designed to excel in the most challenging environments, GoldenWest Turbine Oil guarantees peak performance and optimal efficiency, making it the trusted choice for maintaining the power and reliability of turbines.



Packaging Options

Turbine Oil

Pail: GOL 046077555104

Drum: GOL 046077310819



5/1 Pail



50 Gal

GoldenWestTM

Superior Since 1929



TEXAS ENTERPRISES, INC.

FUELED BY FAMILY



See the Full TEI Product Line:
www.texasenterprises.com